

Google patents

Filing date Return patents filed anytime Return patents filed between and **Patents**Patents 1 - 20 on **confidence value**. (4.04 seconds)› **List view**[Cover view](#)› **Sort by relevance**[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)› **Any status**[Issued patents](#)[Applications](#)Method and system for constructing a knowledge profile of a user having ...

US Pat. 6115709 - Filed Sep 18, 1998 - Tacit Knowledge Systems, Inc.

At step 556, a 50 **confidence level value** for a term is calculated ...Accordingly, by controlling the rate at which a **confidence value** for a term is lowered ...Method and apparatus for assigning a **confidence level** to a term within a ...

US Pat. 6832224 - Filed Apr 1, 2002 - Tacit Software, Inc.

Supplemental Method of Identifying **Confidence Value FIGS.** ... It will be appreciated that by calculating a **confidence level value** utilizing the method

...

High density two-dimensional bar code symbol

US Pat. 5304786 - Filed Jan 5, 1990 - Symbol Technologies, Inc.

... a final **confidence value** by subtracting the updated **confidence 55 value** fromthe initial **confidence value**, and for storing the final **confidence value** in ...Apparatus and method for OCR character and **confidence determination using ...**

US Pat. 5805747 - Filed Jan 13, 1997 - Science Applications International Corporation

In general, the combined **confidence value** represents a combination or ...

At

step S104, the selected character and its combined **confidence value** is output

...

Neural network with back propagation controlled through an output **confidence** ...

US Pat. 5052043 - Filed May 7, 1990 - Eastman Kodak Company

The **value** of the **confidence** measure for this output vector will be relatively high, in this case 25 0.8/0.3or approximately 2.67. ...Method, system and apparatus for authorizing access by a first user to a ...

US Pat. 6253202 - Filed Sep 18, 1998 - Tacit Knowledge Systems, Inc.

At step 556, a 50 **confidence level value** for a term is calculated ...

However,

this **confidence level value** is only calculated for occurrences of the

Google Patents

1 2 3 4 5 6 7 8 9 10

[Next](#)

confidence value

[Search Patents](#)

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

Filing date Return patents filed anytime Return patents filed between and **Patents**Patents 1 - 20 on **confidence value signature**. (0.10 seconds)› **List view**[Cover view](#)› **Sort by relevance**[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)[System and method for detection of fraud in a wireless telephone system](#)

US Pat. 5956634 - Filed Feb 28, 1997 - Cellular Technical Services Company, Inc.

As previously discussed, the **signature** analyzer 116 (see FIG. 4) generates a data **value** and a **confidence value** for each of the transmission characteristics.

...

› **Any status**[Issued patents](#)[Applications](#)[Knowledge-based document analysis system](#)

US Pat. 5937084 - Filed May 22, 1996 - NCR Corporation

If it is not hand print a **confidence value** of -0.5 is assigned. For the position of the **signature** field it should be bounded by the box formed by 0.7, 0.9, ...

[Wireless location using multiple location estimators](#)

US Pat. 6249252 - Filed Apr 23, 1999 - TracBeam LLC

Thus, if the **confidence value** is, for example, excessively low then the area ...

essentially, a query or index into the location **signature** data base 1320 ...

[Automatic **signature** verification](#)

US Pat. 5251265 - Filed Oct 25, 1991 - International Business Machines Corporation

1 a **signature** input () is the first step of a **signature** verification system. ... Its **value** is 75% for example and its position is within the **confidence** band ...

[Produce identification and pricing system for checkouts](#)

US Pat. 6363366 - Filed Aug 31, 1998

10 **confidence value** associated with the match is also preferably output to ...

For example, the image data may be transformed to a **signature** based on two ...

[Apparatus and method for OCR character and **confidence** determination using ...](#)

US Pat. 5805747 - Filed Jan 13, 1997 - Science Applications International Corporation

As the system proceeds through the loop represented by steps S4-S9, the 15 that of the **signature** line 4: **value** Total (t) is increased according to the ...

Gooooooooogle ►

1 2 3 4 5 6 7 8 9 10

[Next](#)

confidence value signature

[Search Patents](#)

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

confidence value intrusion

Search Pat

Filing date Return patents filed anytime Return patents filed between Jan and May **Patents**Patents 1 - 20 on **confidence value intrusion**. (0.05 seconds)› **List view**[Cover view](#)[Preprocessing means for use in a pattern classification system](#)

US Pat. 5657397 - Filed Feb 15, 1994

If the **confidence value** of the first member of the possibility set is less ... (b) defining a measure of **intrusion** of reference feature vectors not of said ...› **Sort by relevance**[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)[System and method for detecting computer intrusions](#)

US Pat. 6996843 - Filed Aug 30, 2000 - Symantec Corporation

The **confidence** (credibility) **value** is also affected by the data that is present:... A system for detecting **intrusion** on a host, comprising: a) a source of ...› **Any status**[Issued patents](#)[Applications](#)[Extensible intrusion detection system](#)

US Pat. 7065657 - Filed Aug 30, 2000 - Symantec Corporation

It can also be viewed as the inverse of the likelihood that the goal is false: evidence that the goal is false lowers the **confidence** (credibility) **value** ...[Method and system for wireless **intrusion** detection prevention and security ...](#)

US Pat. 7295831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

When any mistrust level reaches or exceeds the **value** of three, ...**Confidence**

level (eg, real number between zero and one) in the detected wireless anomaly.

...

[System and method for analyzing filesystems to detect intrusions](#)

US Pat. 6647400 - Filed Aug 30, 2000 - Symantec Corporation


In an embodiment of the invention, the **intrusion** detection 2s system looks for... it makes two deductions: 1) High **confidence** that someone obtained root ...[Automatic rearview mirror, vehicle lighting control and vehicle interior ...](#)

US Pat. 5877897 - Filed Jun 7, 1995 - Donnelly Corporation

The values degree of **confidence** or reliability required in the match/mismatchconditions of steps S405 and S406. For the vehicle **intrusion** ...[Cryptographic system](#)

US Pat. 6378072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Here, to protect itself from unwanted **intrusion**, the cryptographic system ... file matches hash **value** 540, then a level of **confidence** that the program



confidence value intrusion

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

Filing date Return patents filed anytime Return patents filed between and **Patents**Patents 1 - 3 on **confidence value intrusion increase decrease**. (0.12 seconds)› **List view**[Cover view](#)› **Sort by relevance**[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)

Preprocessing means for use in a pattern classification system

US Pat. 5657397 - Filed Feb 15, 1994

In general, **confidence** cut-off values **decrease** (ie become more stringent) aswidth values **increase**. Referring now to FIG. 27b, a second method of assigning

...

[APPLICATION] Probabilistic alert correlation

US Pat. 9944788 - Filed Aug 31, 2001

For example, an **intrusion** detection system may generate two alerts, ...Transition models attempt to assign a "time **value**" to alert **confidence**, ...› **Any status**[Issued patents](#)[Applications](#)

High performance liquid chromatography method and apparatus

US Pat. 5919368 - Filed Dec 8, 1997 - Cohesive Technologies, Inc.

Hg **intrusion** analysis, a well-known technique, can be used to determine the ...**value** at which the slope of the h/v curve begins to **decrease** along the ...RSS Stay up to date on these results using the patents RSS feed on **confidence value intrusion increase decrease**.[Advanced Patent Search](#)

Google patents

Filing date Return patents filed anytime Return patents filed between and **Patents**Patents 1 - 1 on **confidence value intrusion increment decrement**. (0.04 seconds)› **List view**[Cover view](#)[Method and system for wireless intrusion detection prevention and security ...](#)

US Pat. 7295831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

Confidence level (eg, real number between zero and one) in the detected wirelessanomaly. Type of wireless anomaly Mistrust level **decrement** interval 104 ...› **Sort by relevance**[Sort by date \(new first\)](#)[Sort by date \(old first\)](#) Stay up to date on these results using the patents RSS feed on [confidence value intrusion increment decrement](#).› **Any status**[Issued patents](#)[Applications](#)[Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

Filing date Return patents filed anytime Return patents filed between

Jan



1970

and

May

PatentsPatents 1 - 14 on **confidence value intrusion adjust.** (0.02 seconds)› [List view](#)[Cover view](#)› [Sort by relevance](#)[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)› [Any status](#)[Issued patents](#)[Applications](#)[System and method for analyzing filesystems to detect intrusions](#)

US Pat. 6647400 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection 2s system looks for... it makes two deductions: 1) High **confidence** that someone obtained root ...[System and method for detecting computer intrusions](#)

US Pat. 6996843 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection 30 system looks for... it makes two deductions: 1) High **confidence** that someone obtained root ...[Extensible intrusion detection system](#)

US Pat. 7065657 - Filed Aug 30, 2000 - Symantec Corporation

20 In an embodiment of the invention, the **intrusion** detection system looks for... it makes two deductions: 1) High **confidence** that someone obtained root ...[System and method for using signatures to detect computer intrusions](#)

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

20 In an embodiment of the invention, the **intrusion** detection system looks for... it makes two deductions: 1) High **confidence** that someone obtained root ...[System and method for using login correlations to detect intrusions](#)

US Pat. 7085936 - Filed Aug 30, 2000 - Symantec Corporation

In an embodiment of the invention, the **intrusion** detection system looks for ...it makes two deductions: 50 1) High **confidence** that someone obtained root ...[Method and system for wireless **intrusion** detection prevention and security ...](#)

US Pat. 7295831 - Filed Feb 7, 2004 - 3E Technologies International, Inc.

When any mistrust level reaches or exceeds the **value** of three, ...**Confidence**

level (eg, real number between zero and one) in the detected wireless

confidence value intrusion adjust

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

Filing date Return patents filed anytime Return patents filed between

Jan

1970

and May

PatentsPatents 1 - 20 on **confidence value intrusion signature**. (0.04 seconds)› [List view](#)[Cover view](#)› [Sort by relevance](#)[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)› [Any status](#)[Issued patents](#)[Applications](#)[System and method for using signatures to detect computer intrusions](#)

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

The **confidence** (credibility) **value** is also affected by the data that is present:... A system for detecting intrusions, comprising: a) a **signature** computing ...[Cryptographic system](#)

US Pat. 6378072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Here, to protect itself from unwanted **intrusion**, the cryptographic system 100... Digital **signature** 550 is created by encrypting the hash **value** 40 with a ...[\[APPLICATION\] Prioritizing **intrusion** detection logs](#)

US Pat. 10832692 - Filed Apr 22, 2004

If there is no corresponding **signature** found, the data stack 11 can supply the... to the **confidence** level in the match and/or a risk assessment **value**, ...[Method and apparatus for securely transmitting and authenticating biometric ...](#)

US Pat. 6332193 - Filed Jan 18, 1999 - Sensar, Inc.

The security function will remain in effect until **intrusion** is detected or the ... the code generator to create a digital **signature** for each frame of image ...[\[APPLICATION\] Method and system for addressing **intrusion** attacks on a computer system](#)

US Pat. 10701653 - Filed Nov 5, 2003

... scaling factors will always be given a **value** of 0.95 for the information associated when the factor would improve the **confidence** level in the **signature**,

...

[Cryptographic system enabling ownership of a secure process](#)

US Pat. 7055029 - Filed Sep 7, 2001 - Hewlett-Packard Development Company, L.P.

Here, to protect itself from unwanted **intrusion**, the cryptographic system ... Digital **signature** 550 is created by encrypting the hash **value** with a private ...[Method and system for fusing data from fixed and mobile security sensors](#)

confidence value intrusion signature

Search Patents

Advanced Patent Search

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google

Google patents

Filing date Return patents filed anytime Return patents filed between

Jan

1970

and

May

PatentsPatents 1 - 20 on **confidence OR trust value OR level intrusion signature.** (0.04 seconds)› [List view](#)[Cover view](#)› [Sort by relevance](#)[Sort by date \(new first\)](#)[Sort by date \(old first\)](#)› [Any status](#)[Issued patents](#)[Applications](#)[System and method for using signatures to detect computer intrusions](#)

US Pat. 7032114 - Filed Aug 30, 2000 - Symantec Corporation

The **confidence** (credibility) **value** is also affected by the data that is present:... A system for detecting intrusions, comprising: a) a **signature** computing ...[\[APPLICATION\] Prioritizing intrusion detection logs](#)

US Pat. 10832692 - Filed Apr 22, 2004

If there is no corresponding **signature** found, the data stack 11 can supply the... to the **confidence level** in the match and/or a risk assessment **value**, ...[Method and apparatus for securely transmitting and authenticating biometric ...](#)

US Pat. 6332193 - Filed Jan 18, 1999 - Sensar, Inc.

The security function will remain in effect until **intrusion** is detected or ... be assumed to not have been altered with an extremely high **confidence level** ...[\[APPLICATION\] Method and system for addressing intrusion attacks on a computer system](#)

US Pat. 10701653 - Filed Nov 5, 2003

... scaling factors will always be given a **value** of 0.95 for the information associated when the factor would improve the **confidence level** in the **signature**,

...


[System and method for wireless LAN dynamic channel change with honeypot trap](#)

US Pat. 7042852 - Filed Jun 3, 2002 - AirDefense, Inc.

If the attack **signature** is identified, the 65 **intrusion** detection system ... of all IDS test are then compared and a **confidence level** computed in step 345. ...[Cryptographic system](#)

US Pat. 6376072 - Filed Feb 3, 1998 - Compaq Computer Corporation

Finding that the format is correct provides a **level of confidence** that the ... Digital **signature** 550 is created by encrypting the hash **value** 40 with a ...[\[APPLICATION\] Method for configuring a network **intrusion** detection system](#)



confidence OR trust value OR level intrusion

Search Patents

[Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patents](#) - [Google Patents Help](#)

©2009 Google